



Running Contract Details	
Equipment Name	HD LAPROSCOPIC INSTRUMENTS
Running Contract Valid Till	26-08-2021
Tender Ref No	KMSCL/EP/T328/619D/2019(R)
Tendered Quantity	50
Supplier Name	M/s Frontline Electro Medical Ltd
GST No	07AAACF1522F1Z8
Installation & Delivery Period	8 Week(s)
Up-time / PM vist	95% & 0 Visits per year
Warranty period	1 Years

Supplier`s Details		
Address	Contact Details	
Surajmal Vihar - 110092	Contact Person	Rajesh Kumar Sharma
	Phone	
	Mobile No	9313033505
	Email	rks@feml.in

Item-wise Price Details				
#	Item Details	Unit Rate (Incl.all taxes & charges)	Service Charges (Through KMSCL)	Grand Total
1	Formalin Chamber <i>Model & Make : Indian Make</i>	6490 Incl.GST :18%	454.3	6944.3
2	Cydex Tray <i>Model & Make : Indian Make</i>	5600 Incl.GST :12%	413	6013
3	Palpitation Probe <i>Model & Make : PM-TAS-5099-300 / Promis Medical Systems GmbH</i>	3360 Incl.GST :12%	247.8	3607.8
4	Knot Pusher <i>Model & Make : PM-KNF-04099-310 / Promis Medical Systems GmbH</i>	4928 Incl.GST :12%	363.44	5291.44
5	Bowel Grasper <i>Model & Make : PM-1292-53-38, PM-1292-13-05, PM-1292-10-00 / Promis Medical Systems GmbH</i>	30240 Incl.GST :12%	2230.2	32470.2
6	Verees Pneumo Peritoneum Needle <i>Model & Make : PM-VER-2099- 100, PM-VER-2099- 150 / Promis Medical Systems GmbH</i>	6720 Incl.GST :12%	495.6	7215.6

Item-wise Price Details				
7	Coagulating electrode <i>Model & Make : PM-MOG-05097, PM-MOG-05095, PM-92004 / Promis Medical Systems GmbH</i>	14224 Incl.GST :12%	1049.02	15273.02
8	Clip Applicator <i>Model & Make : PM-2-001-003 / Promis Medical Systems GmbH</i>	39200 Incl.GST :12%	2891	42091
9	KOH Macro Needle holder <i>Model & Make : PM-13- 1594 / Promis Medical Systems GmbH</i>	38080 Incl.GST :12%	2808.4	40888.4
10	Suction Irrigation Tube <i>Model & Make : PM-SCS-05099-91 / Promis Medical Systems GmbH</i>	15120 Incl.GST :12%	1115.1	16235.1
11	Roatating Bipolar Grasping Forceps - Insulated forceps insert <i>Model & Make : PM-85500003 / Promis Medical Systems GmbH</i>	23520 Incl.GST :12%	1734.6	25254.6
12	Rotating Bipolar Grasping Forceps - Outer tube <i>Model & Make : PM-85500002 /Promis Medical Systems GmbH</i>	8960 Incl.GST :12%	660.8	9620.8
13	Roatating Bipolar Grasping Forceps - Plastic Handle without ratchet <i>Model & Make : PM-8s50000 / Promis Medical Systems GmbH</i>	16240 Incl.GST :12%	1197.7	17437.7
14	Claw Forceps - Insulated Forceps Insert <i>Model & Make : PM-1292-t0-20 / Promis Medical Systems GmbH</i>	17360 Incl.GST :12%	1280.3	18640.3
15	Claw Forceps - Outer Tube <i>Model & Make : PM-1292-13-05 / Promis Medical Systems GmbH</i>	3920 Incl.GST :12%	289.1	4209.1
16	Claw Forceps - Plastic Handle with rarchet <i>Model & Make : PM-1292-53-30 / Promis Medical Systems GmbH</i>	12320 Incl.GST :12%	908.6	13228.6
17	Scissors - Insulated Scissors Insert <i>Model & Make : PM-1292-10-00 /Promis Medical Systems GmbH</i>	16240 Incl.GST :12%	1197.7	17437.7
18	Scissors - Metal Outer sheath <i>Model & Make : PM-1292-13-05 / Promis Medical Systems CmbH</i>	3920 Incl.GST :12%	289.1	4209.1
19	Scissors - Plastic Handle Without ratchet <i>Model & Make : PM-1292-93-14 / Promis Medical Systems GmbH</i>	11200 Incl.GST :12%	826	12026
20	Grasping Forceps - Insulated forceps insert <i>Model & Make : PM-1292-10-20 / Promis Medical Systems GmbH</i>	14560 Incl.GST :12%	1073.8	15633.8
21	Grasping Forceps - Outer tube <i>Model & Make : PM-1292-13-05 / Promis Medical Systems GmbH</i>	3920 Incl.GST :12%	289.1	4209.1
22	Grasping Forceps - Plastic Handle with ratchet <i>Model & Make : PM-1292-53-27 / Promis Medical Systems GmbH</i>	12320 Incl.GST :12%	908.6	13228.6

Item-wise Price Details				
23	Dissecting & Grasping Forceps - Insulated forceps insert <i>Model & Make : PM-1292-10-00 / Promis Medical Systems GmbH</i>	15120 Incl.GST :12%	1115.1	16235.1
24	Dissecting & Grasping Forceps - Outer tube <i>Model & Make : PM-1292-13-05 / Promis Medical Systems GmbH</i>	3920 Incl.GST :12%	289.1	4209.1
25	Dissecting & Grasping Forceps - Plastic Handle without ratchet <i>Model & Make : PM-1292-53-20 / Promis Medical Systems GmbH</i>	11200 Incl.GST :12%	826	12026
26	Reducer 13/10 mm <i>Model & Make : Promis Medical Systems GmbH</i>	2128 Incl.GST :12%	156.94	2284.94
27	Reducer 10/5 mm <i>Model & Make : Promis Medical Systems GmbH</i>	2128 Incl.GST :12%	156.94	2284.94
28	Trocar set 6 mm <i>Model & Make : PM-AUC-05592A. PM-TRO-05597 / Promis Medical Systems GmbH</i>	22400 Incl.GST :12%	1652	24052
29	Trocar set 13 mm <i>Model & Make : PM-AUB-12592-A, PM-TRO-12597. PM-REA-12504.05 / Promis Medical Systems GmbH</i>	24640 Incl.GST :12%	1817.2	26457.2
30	Trocar set 11 mm <i>Model & Make : PM-AUC-11092A. PM-TRO.I 1097, PM-REA-t 1002-03 / Promis Medical Systems GmbH</i>	24080 Incl.GST :12%	1775.9	25855.9
		414058	30512.44	444570.44

Other terms & conditions

1. The supplier shall execute an agreement with the purchaser as per tender conditions (agreement format is given in the tender document).
2. The supplier shall submit performance security amounting to 5% of the value of the supply order.
3. The labour & comprehensive charges of equipment after the completion of warranty period is finalized by KMSCL as mentioned above.
4. Since discount rate is not applicable for equipment under Running Contract of KMSCL, purchase/supply order can be issued directly to supplier at the given rate with tax & other charges (exclusive of KMSCL service charges).
5. If purchase/supply order is issued directly to the supplier, KMSCL service charge need not be paid. But the copy of the said order may be forwarded to KMSCL for information.

Technical Specification

Equipment :Palpitation Probe

Palpation probe, 5mm diameter, length atleast 33 cm.

Equipment :Knot Pusher

Knot pusher, 5mm diameter

Equipment :Bowel Grasper

Bowel grasper, fenestrated at least 2cm long beak, size 5mm can be dismantled for better cleaning and disinfection. Should be fully rotational 360 degree and autoclavable. Should have insulated outer tube, plastic handle, luer-lock connector and connector pin for unipolar coagulation

Equipment :Verees Pneumo Peritoneum Needle

Verees pneumoperitoneum needle, with spring action blunt stylet, length should be atleast 10 cm and 15 cm, should have a luer -lock connector for insufflation.

Equipment :Coagulating electrode

Coagulating electrode L-shaped and spatula size 5mm, working length at least 33 cm, with connector pin for coagulation and cord.

Equipment :Clip Applicator

Clip Applicator, for use with Titanium-Clips (medium large), rotating, size 10mm, length 36cm, consisting of: Metal Handle

Equipment :KOH Macro Needle holder

Needle Holder, ergonomic handle with ratchet, left curved jaws, with tungsten carbide inserts, Ø 5mm, length 33cm for use with suture material 0/0-7/0.

Equipment :Suction Irrigation Tube

Suction and Irrigation Tube, anti-reflex surface with two-way stopcock, for single hand control size 5mm, length 36cm

Equipment :Rotating Bipolar Grasping Forceps - Insulated forceps insert

Rotating bipolar grasping forceps, size 5mm. can be dismantled to three pieces for better cleaning and disinfection, autoclavable. Length should be minimum 33 cm with connector pin for bipolar coagulation and cord should be supplied.

Equipment :Rotating Bipolar Grasping Forceps - Outer tube

Rotating bipolar grasping forceps, size 5mm. can be dismantled to three pieces for better cleaning and disinfection, autoclavable. Length should be minimum 33 cm with connector pin for bipolar coagulation and cord should be supplied.

Equipment :Rotating Bipolar Grasping Forceps - Plastic Handle without ratchet

Rotating bipolar grasping forceps, size 5mm. can be dismantled to three pieces for better cleaning and disinfection, autoclavable. Length should be minimum 33 cm with connector pin for bipolar coagulation and cord should be supplied.

Equipment :Claw Forceps - Insulated Forceps Insert

Claw Forceps, 2x3 teeth, rotating, with connector pin for unipolar coagulation, size 5mm, length atleast 33cm, single action jaws : insulated Forceps Insert.

Equipment :Claw Forceps - Outer Tube

Claw Forceps, 2x3 teeth, rotating, with connector pin for unipolar coagulation, size 5mm, length atleast 33cm, single action jaws : Outer Tube

Equipment :Claw Forceps - Plastic Handle with ratchet

Claw Forceps, 2x3 teeth, rotating, with connector pin for unipolar coagulation, size 5mm, length atleast 33cm, single action jaws : Plastic Handle with style ratchet

Equipment :Scissors - Insulated Scissors Insert

Scissors, rotating, dismantling, insulated, with connector pin for unipolar coagulation, with LUER-Lock connector for cleaning, double action jaws, curved, length of blades 15mm, size 5mm, length atleast 33 cm : insulated Scissors Insert for use with trocars size 6mm.

Equipment :Scissors - Metal Outer sheath

Scissors, rotating, dismantling, insulated, with connector pin for unipolar coagulation, with LUER-Lock connector for cleaning, double action jaws, curved, length of blades 15mm, size 5mm, length atleast 33 cm : Metal Outer sheath

Equipment :Scissors - Plastic Handle Without ratchet

Scissors, rotating, dismantling, insulated, with connector pin for unipolar coagulation, with LUER-Lock connector for cleaning, double action jaws, curved, length of blades 15mm, size 5mm, length atleast 33 cm : Plastic Handle, insulated, without ratchet

Equipment :Grasping Forceps - Insulated forceps insert

Grasping Forceps, rotating, with connector pin for unipolar coagulation, size 5mm, length at least 36cm, atraumatic fenestrated single action jaws : Insulated Forceps Insert.

Equipment :Grasping Forceps - Outer tube

Grasping Forceps, rotating, with connector pin for unipolar coagulation, size 5mm, length at least 36cm, atraumatic fenestrated single action jaws : Outer Tube.

Equipment :Grasping Forceps - Plastic Handle with ratchet

Grasping Forceps, rotating, with connector pin for unipolar coagulation, size 5mm, length at least 36cm, atraumatic fenestrated single action jaws : Plastic Handle, with ratchet

Equipment :Dissecting & Grasping Forceps - Insulated forceps insert

Dissecting and Grasping Forceps, rotating, with connector pin for unipolar coagulation, size 5mm, length at least 33cm double action jaws : Insulated Forceps Insert.

Equipment :Dissecting & Grasping Forceps - Outer tube

Dissecting and Grasping Forceps, rotating, with connector pin for unipolar coagulation, size 5mm, length at least 33cm double action jaws : Outer Tube

Equipment :Dissecting & Grasping Forceps - Plastic Handle without ratchet

Dissecting and Grasping Forceps, rotating, with connector pin for unipolar coagulation, size 5mm, length at least 33cm double action jaws : Plastic Handle without ratchet

Equipment :Trocar set 6 mm

Trocar, Size 5 to 6mm consisting of : Trocar only, with pyramidal tip, cannula without valve, with insufflations stop cock, length 8 cm or more , Multifunctional Valve - 6 Nos.

Equipment :Trocar set 13 mm

Trocar, size 12.5 / 13mm, consisting of: Trocar only, with pyramidal tip. Cannula without valve, connection for 13mm Reducer 13/10mm - 2 Nos.

Equipment :Trocar set 11 mm

Trocar, size 10 / 11mm, consisting of Trocar only, with pyramidal tip cannula without valve, with insufflations stop-cock, length 8 cm or more , multifunctional valve, reducer 10/5mm - 2 Nos.