



**Running Contract Details**

Equipment Name	Mobile Storage System
Running Contract Valid Till	28-05-2021
Tender Ref No	KMSCL/EP/T318/301/2019
Tendered Quantity	220
Supplier Name	M/s METHODEX SYSTEMS PVT LTD
GST No	32AAACM1924E1Z4
Installation & Delivery Period	12 Week(s)
Up-time / PM vist	95% & 0 Visits per year
Warranty period	1 Years

**Supplier`s Details**

Address	Contact Details	
K K ROAD KALOOR NR KATHRIKADAV CHURCH KALOOR KOCHI 682017	Contact Person	SREEKANTH VS
	Phone	9349944521
	Mobile No	9388359245
	Email	sreekanth.vs@methodexsystems.com

**Item-wise Price Details**

#	Item Details	Unit Rate (Incl.all taxes & charges)	Service Charges (Through KMSCL)	Grand Total
1	<b>Static - Single faced -Single Bay</b> <i>Model &amp; Make : Single bay deep / METHODEX</i>	10392.26 Incl.GST :18%	727.46	11119.72
2	<b>Static - Single faced -Two Bay</b> <i>Model &amp; Make : Two bay deep / METHODEX</i>	20783.34 Incl.GST :18%	1454.83	22238.17
3	<b>Static - Single faced -Three Bay</b> <i>Model &amp; Make : Three bay deep / METHODEX</i>	32357.96 Incl.GST :18%	2265.06	34623.02
4	<b>Mobile - Single faced -Single Bay</b> <i>Model &amp; Make : Single bay deep / METHODEX</i>	11210 Incl.GST :18%	784.7	11994.7
5	<b>Mobile - Single faced -Two Bay</b> <i>Model &amp; Make : Two bay deep / METHODEX</i>	24665.54 Incl.GST :18%	1726.59	26392.13
6	<b>Mobile - Single faced -Three Bay</b> <i>Model &amp; Make : Three bay deep / METHODEX</i>	38365.34 Incl.GST :18%	2685.57	41050.91
7	<b>Mobile - Double faced -Single Bay</b> <i>Model &amp; Make : Single bay deep / METHODEX</i>	20532 Incl.GST :18%	1437.24	21969.24

<b>Item-wise Price Details</b>				
8	<b>Mobile - Double faced - Two Bay</b> <i>Model &amp; Make : Two bay deep / METHODEX</i>	40570.76 Incl.GST :18%	2839.95	43410.71
9	<b>Mobile - Double faced - Three Bay</b> <i>Model &amp; Make : Three bay deep / METHODEX</i>	61190.08 Incl.GST :18%	4283.31	65473.39
		<b>260067.28</b>	<b>18204.71</b>	<b>278271.99</b>

### **Other terms & conditions**

1. The supplier shall execute an agreement with the purchaser as per tender conditions (agreement format is given in the tender document).
2. The supplier shall submit performance security amounting to 5% of the value of the supply order.
3. The labour & comprehensive charges of equipment after the completion of warranty period is finalized by KMSCL as mentioned above.
4. Since discount rate is not applicable for equipment under Running Contract of KMSCL, purchase/supply order can be issued directly to supplier at the given rate with tax & other charges (exclusive of KMSCL service charges).
5. If purchase/supply order is issued directly to the supplier, KMSCL service charge need not be paid. But the copy of the said order may be forwarded to KMSCL for information.

### **Technical Specification**

#### **Equipment :Mobile Storage System**

1. Shall be a storage system for storing Medical Records Files having easy movement mechanism for the movement of each bay withstanding heavy duty usage and handling.
2. Should have Central locking facility with 2 spare keys
3. Mechanism of Bays shall be with turning wheel operating movement
4. Dimensions:
  - a. Size of each bay: 2100 (H) x 930 (W) x 450 (D)mm  $\pm$ 20 mm tolerance accepted
  - b. Each bay shall contain 5 compartments
  - c. Aisle walks way: 800  $\pm$ 30 mm.
5. Base Frame: Shall be fabricated in channels type of at least 1.6mm or above thickness CRCA sheet and the maximum loading capacity of 400 kg or more per bay.
6. Guide Rails: Guide rails shall be comprises of solid round bar of 16/32 mm (made of solid steel with electroplate finish) press fit into 'U' channel of 14 G prime quality CRCA sheet. The channel should have flanges on either side. This setup should then anchor to the floor by means of expansion bolts.
7. Wheels shall be made of iron die cast with anti-rust zinc coating.
8. STRUCTURE
  - a. Structure of the compactor should be knockdown type (CKD units). The body should be made of cold carbon steel of thickness of

0.8mm or 22 G having a loading capacity of more than 400 Kg per bay. (80 Kg per compartment.)

b. Shelves clips with loading capacity of 40 Kg each with plating finish.

c. Rubber studs should be used to minimize noise emission and prevent scratches when the respective bays are closed or moved.

d. The final finish of the compactor should be epoxy powder coated (22 G) in white Aluminium shade and under structure in block power coating enamel coating within 50-80 micron.

9. Should supply minimum 2 Nos. of file separator for each compartment

10. Bay Deep Types (Single / 2 Bay & 3 Bay) combinations shall be decided according to the room size availability of each institution. All the components of Mobile Storage System (Mechanism, Base Frame, Guide Rails, structure, wheels etc.) shall be of adequate size & shape to handle any such combinations.