

Running Contract Details	
Equipment Name	Oxygen Cylinder with trolley
Running Contract Valid Till	13-12-2020
Tender Ref No	KMSCL/EP/T288/96/2018(R)
Tendered Quantity	5000
Supplier Name	M/s Kerala Surgical Equipment Co
GST No	32AACFK7295D1ZG
Installation & Delivery Period	6 Week(s)
Up-time / PM vist	95% & 0 Visits per year
Warranty period	1 Years

Supplier`s Details		
Address	Contact Details	
No.41/1737 A MES Centre Near Town Hall Banerji Road Cochin -18	Contact Person	Mr. Abbas
	Phone	
	Mobile No	9539012460
	Email	info@keralasurgicals.com

Item-wise Price Details				
#	Item Details	Unit Rate (Incl.all taxes & charges)	Service Charges (Through KMSCL)	Grand Total
1	Oxygen Cylinder with trolley Oxygen cylinder with key <i>Model & Make : EKC / Everest Kanto Cylinderes</i>	6077 Incl.GST :18%	425.39	6502.39
2	Cylinder trolley	1711 Incl.GST :18%	119.77	1830.77
3	Flowmeter with humidifier	1164.8 Incl.GST :12%	85.9	1250.7
		8952.8	631.06	9583.86

Other terms & conditions

1. The supplier shall execute an agreement with the purchaser as per tender conditions (agreement format is given in the tender document).
2. The supplier shall submit performance security amounting to 5% of the value of the supply order.

3. The labour & comprehensive charges of equipment after the completion of warranty period is finalized by KMSCL as mentioned above.
4. Since discount rate is not applicable for equipment under Running Contract of KMSCL, purchase/supply order can be issued directly to supplier at the given rate with tax & other charges (exclusive of KMSCL service charges).
5. If purchase/supply order is issued directly to the supplier, KMSCL service charge need not be paid. But the copy of the said order may be forwarded to KMSCL for information.

Technical Specification

Equipment :Oxygen Cylinder with trolley

1. Should be B type 10.5 liters type
2. Should be supplied with humidifier and flow meter.
3. Should be supplied with trolley and key.
4. The trolley should be mounted on good quality wheels of 100mm.
5. The trolley should have MS tubular frame work and SS base.
6. Should have a gauge to measure the cylinder pressure.
7. Cylinder should have ISI mark.
8. Cylinder should have explosive safety certificate and should be provided along with each cylinder during installation.

Flow meter:

1. Back Pressure Controlled Flow Meter
2. Sturdy and reliable Flow Meter Unit for an accurate measuring of flow of gases.
3. Chromium plated Brass Body.
4. Metering tube and cover made of unbreakable Poly carbonate.
5. Flow adjustment by Needle valve equipped with inlet filter – 100 ?m
6. Flow rate range 0 – 15 litres / minute
7. Inlet pressure suitable for the cylinder.

Bubble Humidifiers with safety valve and pressure Relief:

1. Lid made of ABS Plastic
2. Jar made of Unbreakable Poly Carbonate

3. Valve Brass chromium plated

4. Humidifier jar should be steam autoclavable / gas sterilizable