



Running Contract Details	
Equipment Name	SPEED VAC
Running Contract Valid Till	21-01-2022
Tender Ref No	KMSCL/EP/T346/1480/2019(R)
Tendered Quantity	10
Supplier Name	M/s Eppendorf India Limited
GST No	33AABCE1667R1ZA
Installation & Delivery Period	8 Week(s)
Up-time / PM vist	95% & 2 Visits per year
Warranty period	3 Years

Supplier`s Details		
Address	Contact Details	
Plot NO.18-19-20 (part) Ambit Park Rd Sidco Industrial Estate (South Phase) Ambattur Chennai - 600058	Contact Person	Ganeshprabhu
	Phone	
	Mobile No	9387301010
	Email	ganeshprabhu.s@eppendorf.co.in

Item-wise Price Details				
#	Item Details	Unit Rate (Incl.all taxes & charges)	Service Charges (Through KMSCL)	Grand Total
1	SPEED VAC <i>Model & Make : Concentrator Plus Eppendorf AG</i>	734089.8 Incl.GST :18%	51386.29	785476.09
		734089.8	51386.29	785476.09

Annual / Comprehensive Maintenance Charges (Exl.Tax)							
Rate	4 th Year	5 th Year	6 th Year	7 th Year	8 th Year	9 th Year	10 th Year
SPEED VAC							
Labour	29,500.00	29,500.00	29,500.00	29,500.00	29,500.00	29,500.00	29,500.00
Comprehen sive	47,200.00	47,200.00	47,200.00	47,200.00	47,200.00	47,200.00	47,200.00

Other terms & conditions

1. The supplier shall execute an agreement with the purchaser as per tender conditions (agreement format is given in the tender

document).

2. The supplier shall submit performance security amounting to 5% of the value of the supply order.
3. The labour & comprehensive charges of equipment after the completion of warranty period is finalized by KMSCL as mentioned above.
4. Since discount rate is not applicable for equipment under Running Contract of KMSCL, purchase/supply order can be issued directly to supplier at the given rate with tax & other charges (exclusive of KMSCL service charges).
5. If purchase/supply order is issued directly to the supplier, KMSCL service charge need not be paid. But the copy of the said order may be forwarded to KMSCL for information.

Technical Specification

Equipment :SPEED VAC

1. Should have a fixed rotational speed <1,500 rpm
2. Complete system with built-in pump, 350W
3. Capacity of built-in pump, 1.7m³/h
4. Max. Vacuum < 20 hPa (< 20 mbar)
5. Minimum Dimensions (W x D x H) in cm: 32 x 53 x 30cm
6. Weight <35 Kg
7. Supply with one rotor 6x15/50ml and one rotor of 1.5ml/ 2ml
8. Should have a chemical-resistant PTFE diaphragm pump, stainless steel chamber and Lid
9. Should have quiet operation even pump working
10. Should have three application modes (aqueous, alcohol or high vapour pressure) to correspond with sample - solvent for reduction of processing time up to 20%
11. Should have four heating levels (room temperature, 30°C, 45° C, and 60 °C)
12. Centrifugation and Desiccators function
13. Timer selection between 1 min and 10 h
14. Temperature pre-selection room temperature, 30° C,45° C and 60° C
15. Mode/ vent function: Choose between three solvent modes
16. Start/ Stop of concentration process