



Running Contract Details	
Equipment Name	Wall Mounted Spot Light â€“ LED Adjustable
Running Contract Valid Till	17-01-2021
Tender Ref No	KMSCL/EP/T298/74C/2018(R)
Tendered Quantity	150
Supplier Name	M/s Sree Gokulam Healthcare Pvt Ltd
GST No	32AAJCS3502K1ZI
Installation & Delivery Period	6 Week(s)
Up-time / PM vist	95% & 2 Visits per year
Warranty period	2 Years

Supplier`s Details		
Address	Contact Details	
Dhanya Complex Sastha Temple Road Ernakulam North PO Cochin-682018	Contact Person	Anoop
	Phone	
	Mobile No	9995813333
	Email	sales@gokulamhealthcare.com

Item-wise Price Details				
#	Item Details	Unit Rate (Incl.all taxes & charges)	Service Charges (Through KMSCL)	Grand Total
1	<b>Wall Mounted Spot Light â€“ LED Adjustable</b> <i>Model &amp; Make : HEPTA OEM : LID Sotramet</i>	49840 Incl.GST :12%	3675.7	53515.7
		<b>49840</b>	<b>3675.7</b>	<b>53515.7</b>

Annual / Comprehensive Maintenance Charges (Exl.Tax)				
Rate	3 <sup>rd</sup> Year	4 <sup>th</sup> Year	5 <sup>th</sup> Year	
<b>Wall Mounted Spot Light â€“ LED Adjustable</b>				
Labour	2,000.00	2,000.00		2,000.00
Comprehens ive	6,000.00	6,500.00		7,000.00

**Other terms & conditions**

1. The supplier shall execute an agreement with the purchaser as per tender conditions (agreement format is given in the tender

document).

2. The supplier shall submit performance security amounting to 5% of the value of the supply order.
3. The labour & comprehensive charges of equipment after the completion of warranty period is finalized by KMSCL as mentioned above.
4. Since discount rate is not applicable for equipment under Running Contract of KMSCL, purchase/supply order can be issued directly to supplier at the given rate with tax & other charges (exclusive of KMSCL service charges).
5. If purchase/supply order is issued directly to the supplier, KMSCL service charge need not be paid. But the copy of the said order may be forwarded to KMSCL for information.

### **Technical Specification**

#### **Equipment :Wall Mounted Spot Light â€“ LED Adjustable**

1. Should be wall mounted spot light.
2. Should be able to adjust position.
3. Should use a LED light source.
4. It should have minimum light intensity of 50,000 lux at 30 cm.
5. CRI should be minimum 90.
6. It should have field size of at least 10 cm at a distance 30cm from the light head.
7. It should have on/OFF switch on light head handle.
8. Color temperature should be 4000K-5000K.
9. Should have an arm length of at least 36”.
10. Arm and head should be adjustable horizontally and vertically.
11. Powers supply should be SMPS.
12. It should be CE/FDA certified.